


C-22 Parts



C-22-AA
C-22-AB
C-22-AC

Brass Body

Ref #	Part Number	Description	Quantity/ Pump
1	C22-004-1005	Adjusting Bolt, Pressure Range A	1
	C22-004-1006	Adjusting Bolt, Pressure Range B, C ...	1
2	C22-005-1000	Jam Nut.....	1
3	C22-015-2000	Cap Screw, 5/16 x 1"	4
4	C22-014-2000	Lock Washer, 5/16"	4
5a	C22-003-1002	Valve Top, unwetted.....	1
5b	C22-003-1000	Valve Top, brass	1
6	C22-018-3100	Spring Disc, 20 x 10.2 x 1.2 mm	**
	C22-018-3101	Spring Disc, 20 x 10.2 x 0.8 mm	**
	C22-018-3102	Spring Disc, 20 x 10.2 x 1.5 mm	**
7	C22-023-1100	Plunger Assembly, 316 SST	1
	C22-023-1101	Plunger Assembly, SST, with tungsten carbide ball	1
	C22-023-1103	Plunger Assembly, 17-4 PH SST	1
	C22-023-1117	Plunger Assembly, Hastelloy C-276 ..	1
8	C22-013-2110	Seal, back-up, Buna	1
	C22-013-2117	Seal, back-up, UHMW polyethylene ...	1
	C22-013-2118	Seal, back-up, Teflon	1
9	C22-012-2110	Seal, Buna	1
	C22-012-2111	Seal, Viton	1
	C22-012-2113	Seal, EPDM	1
	C22-012-2115	Seal, urethane	1
10*	C22-016-2110	O-ring, sleeve, Buna	1
	C22-016-2111	O-ring, sleeve, Viton	1
	C22-016-2113	O-ring, sleeve, EPDM	1
11*	C22-024-1010	Sleeve, 316 SST	1
	C22-024-1017	Sleeve, Hastelloy C-276	1
12	C22-006-1000	Seat, 316 SST	1
	C22-006-1001	Seat, 17-4 HT	1
	C22-006-1002	Seat, tungsten carbide	1
	C22-006-1017	Seat, Hastelloy C-276	1
13	C22-010-2110	O-ring, valve seat, Buna	1
	C22-010-2111	O-ring, valve seat, Viton	1
	C22-010-2113	O-ring, valve seat, EPDM	1
14	C22-002-1000	Body, valve, brass, NPT	1
15	C22-011-2110	O-ring, Buna	1
	C22-011-2111	O-ring, Viton	1
	C22-011-2113	O-ring, EPDM	1
-	C22-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	

** See page 5 for spring disc quantities and arrangements.

C-22 Parts

C-22-AA
C-22-AB
C-22-AC

Stainless Steel Body Nickel Alloy Body

Ref #	Part Number	Description	Quantity/ Pump
1	C22-004-1005 C22-004-1006	Adjusting Bolt, Pressure Range A Adjusting Bolt, Pressure Range B, C ...	1 1
2	C22-005-1000	Jam Nut.....	1
3	C22-015-2000	Cap Screw, 5/16 x 1"	4
4	C22-014-2000	Lock Washer, 5/16"	4
5a	C22-003-1002	Valve Top, nonwetted	1
6	C22-018-3100 C22-018-3101 C22-018-3102	Spring Disc, 20 x 10.2 x 1.2 mm Spring Disc, 20 x 10.2 x 0.8 mm Spring Disc, 20 x 10.2 x 1.5 mm	** ** **
7	C22-023-1100 C22-023-1101 C22-023-1103 C22-023-1117	Plunger Assembly, 316 SST Plunger Assembly, SST, with tungsten carbide ball Plunger Assembly, 17-4 PH SST Plunger Assembly, Hastelloy C-276 ..	1 1 1 1
8	C22-013-2110 C22-013-2117 C22-013-2118	Seal, back-up, Buna Seal, back-up, UHMW polyethylene ... Seal, back-up, Teflon	1 1 1
9	C22-012-2110 C22-012-2111 C22-012-2113 C22-012-2115	Seal, Buna Seal, Viton Seal, EPDM Seal, urethane	1 1 1 1
10*	C22-016-2110 C22-016-2111 C22-016-2113	O-ring, sleeve, Buna O-ring, sleeve, Viton O-ring, sleeve, EPDM	1 1 1
11*	C22-024-1010 C22-024-1017	Sleeve, 316 SST Sleeve, Hastelloy C-276	1 1
12	C22-006-1000 C22-006-1001 C22-006-1002 C22-006-1017	Seat, 316 SST Seat, 17-4 HT Seat, tungsten carbide Seat, Hastelloy C-276	1 1 1 1
13	C22-010-2110 C22-010-2111 C22-010-2113	O-ring, valve seat, Buna O-ring, valve seat, Viton O-ring, valve seat, EPDM	1 1 1
14	C22-002-1002 C22-002-1017	Body, valve, 316 SST, NPT Body, valve, nickel alloy C series NPT1	1 1
15	C22-011-2110 C22-011-2111 C22-011-2113	O-ring, Buna O-ring, Viton O-ring, EPDM	1 1 1
-	C22-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	


** See page 5 for spring disc quantities and arrangements.

C-22-AE

Brass Body Stainless Steel Body Nickel Alloy Body

Ref #	Part Number	Description	Quantity/ Pump
1	C22-004-1008	Adjusting Bolt, pressure range E	1
2	C22-005-1000	Jam Nut.....	1
3	C22-015-2010	Cap Screw, 5/16 x 1-1/4"	4
4	C22-014-2000	Lock Washer, 5/16"	4
5c	C22-003-1003	Valve Top, non-wetted, 2500 psi	1
6	C22-018-3102	Spring Disc, 20 x 10.2 x 1.5 mm	21
7	C22-023-1000 C22-023-1003 C22-023-1007	Plunger Assembly, 316 SST Plunger Assembly, 17-4 PH SST Plunger Assembly, Hastelloy C-276 ..	1 1 1
8	C22-013-2110 C22-013-2117 C22-013-2118	Seal, back-up, Buna Seal, back-up, UHMW polyethylene ... Seal, back-up, Teflon	1 1 1
9	C22-012-2110 C22-012-2111 C22-012-2115	Seal, Buna Seal, Viton Seal, urethane	1 1 1
10*	C22-016-2110 C22-016-2111	O-ring, sleeve, Buna O-ring, sleeve, Viton	1 1
11*	C22-024-1010 C22-024-1017	Sleeve, 316 SST Sleeve, Hastelloy C-276	1 1
12	C22-006-1000 C22-006-1001 C22-006-1017	Seat, 316 SST Seat, 17-4 HT Seat, Hastelloy C-276	1 1 1
13	C22-010-2110 C22-010-2111	O-ring, valve seat, Buna O-ring, valve seat, Viton	1 1
14	C22-002-1000 C22-002-1002 C22-002-1017	Body, valve, brass, NPT Body, valve, 316 SST, NPT Body, valve, nickel alloy C series NPT1	1 1 1
15	C22-011-2110 C22-011-2111	O-ring, Buna O-ring, Viton	1 1
-	C22-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	

C-23 Parts



C-23-AA
C-23-AB
C-23-AC

Brass Body

Ref #	Part Number	Description	Quantity/ Pump
1	C23-004-1005	Adjusting Bolt, Pressure Range A	1
	C23-004-1006	Adjusting Bolt, Pressure Range B	1
	C23-004-1007	Adjusting Bolt, Pressure Range C	1
2	C23-005-1000	Jam Nut	1
3	D25-029-2010	Cap Screw, 3/8 x 1-1/4"	4
4	D10-048-2010	Lock Washer, 3/8"	4
5a	C23-003-1002	Valve Top, Nonwetted	1
5b	C23-003-1000	Valve Top, brass	1
6	C23-018-3100	Spring Disc, 28 x 12.2 x 1.5 mm	**
	C23-018-3101	Spring Disc, 28 x 12.2 x 1.0 mm	**
7	C23-023-1100	Plunger Assembly, 316 SST	1
	C23-023-1101	Plunger Assembly, SST, with tungsten carbide ball	1
	C23-023-1103	Plunger Assembly, 17-4 PH SST	1
	C23-023-1117	Plunger Assembly, Hastelloy C-276 ..	1
8	C23-013-2110	Seal, back-up, Buna	1
	C23-013-2117	Seal, back-up, UHMW polyethylene ...	1
	C23-013-2118	Seal, back-up, Teflon	1
9	C23-012-2110	Seal, Buna	1
	C23-012-2111	Seal, Viton	1
	C23-012-2113	Seal, EPDM	1
	C23-012-2115	Seal, urethane	1
10*	C23-016-2110	O-ring, sleeve, Buna	1
	C23-016-2111	O-ring, sleeve, Viton	1
	C23-016-2113	O-ring, sleeve, EPDM	1
11*	C23-024-1010	Sleeve, 316 SST	1
	C23-024-1017	Sleeve, Hastelloy C-276	1
12	C23-006-1000	Seat, 316 SST	1
	C23-006-1001	Seat, 17-4 HT	1
	C23-006-1002	Seat, tungsten carbide	1
	C23-006-1017	Seat, Hastelloy C-276	1
13	C23-010-2110	O-ring, valve seat, Buna	1
	C23-010-2111	O-ring, valve seat, Viton	1
	C23-010-2113	O-ring, valve seat, EPDM	1
14	C23-002-1000	Body, valve, brass, NPT	1
15	C23-011-2110	O-ring, Buna	1
	C23-011-2111	O-ring, Viton	1
	C23-011-2113	O-ring, EPDM	1
-	C23-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	

** See page 5 for spring disc quantities and arrangements.

C-23 Parts

C-23-AA
C-23-AB
C-23-AC

Stainless Steel Body Nickel Alloy Body

Ref #	Part Number	Description	Quantity/ Pump
1	C23-004-1005	Adjusting Bolt, Pressure Range A	1
	C23-004-1006	Adjusting Bolt, Pressure Range B	1
	C23-004-1007	Adjusting Bolt, Pressure Range C	1
2	C23-005-1000	Jam Nut	1
3	D25-029-2010	Cap Screw, 3/8" x 1-1/4"	4
4	D10-048-2010	Lock Washer	4
5a	C23-003-1002	Valve Top, Nonwetted	1
6	C23-018-3100	Spring Disc, 28 x 12.2 x 1.5 mm	**
	C23-018-3101	Spring Disc, 28 x 12.2 x 1.0 mm	**
7	C23-023-1100	Plunger Assembly, 316 SST	1
	C23-023-1101	Plunger Assembly, SST, with tungsten carbide ball	1
	C23-023-1103	Plunger Assembly, 17-4 PH SST	1
	C23-023-1117	Plunger Assembly, Hastelloy C-276	1
8	C23-013-2110	Seal, back-up, Buna	1
	C23-013-2117	Seal, back-up, UHMW polyethylene	1
	C23-013-2118	Seal, back-up, Teflon	1
9	C23-012-2110	Seal, Buna	1
	C23-012-2111	Seal, Viton	1
	C23-012-2113	Seal, EPDM	1
	C23-012-2115	Seal, urethane	1
10*	C23-016-2110	O-ring, sleeve, Buna	1
	C23-016-2111	O-ring, sleeve, Viton	1
	C23-016-2113	O-ring, sleeve, EPDM	1
11*	C23-024-1010	Sleeve, 316 SST	1
	C23-024-1017	Sleeve, Hastelloy C-276	1
12	C23-006-1000	Seat, 316 SST	1
	C23-006-1001	Seat, 17-4 HT	1
	C23-006-1002	Seat, tungsten carbide	1
	C23-006-1017	Seat, Hastelloy C-276	1
13	C23-010-2110	O-ring, valve seat, Buna	1
	C23-010-2111	O-ring, valve seat, Viton	1
	C23-010-2113	O-ring, valve seat, EPDM	1
14	C23-002-1002	Body, valve, 316 SST, NPT	1
	C23-002-1017	Body, valve, nickel alloy C series, NPT	1
15	C23-011-2110	O-ring, Buna	1
	C23-011-2111	O-ring, Viton	1
	C23-011-2113	O-ring, EPDM	1
-	C23-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	


** See page 5 for spring disc quantities and arrangements.

C-23-AE

Brass Body Stainless Steel Body Nickel Alloy Body

Ref #	Part Number	Description	Quantity/ Pump
1	C23-004-1008	Adjusting Bolt, Pressure Range E	1
2	C23-005-1000	Jam Nut	1
3	A04-041-2010	Cap Screw, 3/8" x 1-1/2"	4
4	D10-048-2010	Lock Washer	4
5c	C23-003-1003	Valve Top, brass, 2500 psi	1
6	C23-018-3100	Spring Disc, 28 x 12.2 x 1.5 mm	28
7	C23-023-1100	Plunger Assembly, 316 SST	1
	C23-023-1103	Plunger Assembly, 17-4 PH SST	1
	C23-023-1117	Plunger Assembly, Hastelloy C-276	1
8	C23-013-2110	Seal, back-up, Buna	1
	C23-013-2118	Seal, back-up, Teflon	1
9	C23-012-2110	Seal, Buna	1
	C23-012-2111	Seal, Viton	1
10*	C23-011-2110	O-ring, sleeve, Buna	1
	C23-011-2111	O-ring, sleeve, Viton	1
11*	C23-024-1010	Sleeve, 316 SST	1
	C23-024-1017	Sleeve, Hastelloy C-276	1
12	C23-006-1000	Seat, 316 SST	1
	C23-006-1001	Seat, 17-4 HT	1
	C23-006-1017	Seat, Hastelloy C-276	1
13	C23-010-2110	O-ring, valve seat, Buna	1
	C23-010-2111	O-ring, valve seat, Viton	1
14	C23-002-1000	Body, valve, brass, NPT	1
	C23-002-1002	Body, valve, 316 SST, NPT	1
	C23-002-1017	Body, valve, nickel alloy C series, NPT	1
15	C23-011-2110	O-ring, Buna	1
	C23-011-2111	O-ring, Viton	1
-	C23-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	

C-24 Parts



C-24-AA
C-24-AB
C-24-AC

Brass Body Stainless Steel Body Nickel Alloy Body

Ref #	Part Number	Description	Quantity/ Pump
1	C24-004-1005	Adjusting Bolt, Pressure Range A	1
	C24-004-1006	Adjusting Bolt, Pressure Range B	1
	C24-004-1007	Adjusting Bolt, Pressure Range C	1
2	C24-005-1000	Jam Nut.....	1
3	C24-015-2000	Cap Screw, 7/16 x 1-1/2"	4
4	C24-014-2000	Lock Washer, 7/16"	4
5	C24-003-1000	Valve Top, brass	1
	C24-003-1001	Valve Top, 316 SST	1
	C24-003-1002	Valve Top, nickel alloy C series	1
6	C24-018-3100	Spring Disc, 35.5 x 18.3 x 2.0 mm ...	**
	C24-018-3102	Spring Disc, 35.5 x 18.3 x 1.2 mm ...	**
7	C24-023-1100	Plunger Assembly, 316 SST	1
	C24-023-1101	Plunger Assembly, SST, with tungsten carbide ball	1
	C24-023-1102	Plunger Assembly, Hastelloy C-276 ..	1
8	C24-013-2110	Seal, back-up, Buna	1
	C24-013-2118	Seal, back-up, Viton	1
	C24-012-2110	Seal, Buna	1
9	C24-012-2111	Seal, Viton,	1
	C24-012-2113	Seal, EPDM	1
	12	C24-006-1000	Seat, 316 SST
C24-006-1001		Seat, 17-4 HT	1
C24-006-1002		Seat, tungsten carbide	1
C24-006-1003		Seat, Hastelloy C-276	1
13	C23-010-2110	O-ring, valve seat, Buna	1
	C23-010-2111	O-ring, valve seat, Viton	1
	C23-010-2113	O-ring, valve seat, EPDM	1
14	C24-002-1000	Body, valve, brass, NPT	1
	C24-002-1001	Body, valve, 316 SST, NPT	1
	C24-002-1002	Body, valve, nickel alloy C series, NPT	1
15	C24-011-2110	O-ring, Buna	1
	C24-011-2111	O-ring, Viton	1
	C24-011-2113	O-ring, EPDM	1
-	C24-022-2400	Name Plate (specify model & serial no.)	1
-	A01-115-3400	Regulator Valve Spring Grease, 1/4 ounce	

** See page 5 for spring disc quantities and arrangements.

Repair

The valve can generally be repaired in place, without removing it from the system.

When disassembling, note the number of spring discs and their arrangement. They must be reinstalled in the same arrangement (refer also to page 5 — note that they are stacked, either singly or in pairs, facing in alternate directions). When reassembling, apply liberal amounts of high-temperature regulator grease (Wanner #A01-115-3400) on the springs and around the plunger stem.

The seal (9) and back-up seal (8) must be replaced together; don't replace one without replacing the other.

Troubleshooting

Excess Pressure Required to Bypass Fluid

- Regulating valve pressure not properly adjusted
- Not enough fluid being continuously bypassed
- Nozzles worn

Fluid Leaking from Hole in Valve Top

- Worn Seals

System Losing Pressure

- Nozzles worn
- Pump RPM reduced
- Regulating valve pressure not properly adjusted
- Worn pump components
- Worn regulating valve seat or plunger
- System drawing in air
- Too much fluid being bypassed

Pressure Spikes

- Minimum bypass of 10% not being maintained
- Nozzles worn
- Regulating valve pressure not properly adjusted